

DIY for
Multiple Shape

VACE
TOP LIGHTING OEM/ODM



Garage Light KD Light

Product Manual





About Garage Lights/KD Lights

Each LED tube can be assembled to your liking or built as displayed. Kit includes all fasteners and connectors to build as displayed. Features integrated wiring and snap-together design.


Application: car showroom, workshop, exhibition.

APPLICATION




Modelling combination 1 - 639W

DIMENSION




Parameter	
Model	897 4581
Size	4835x2430
Power	639W
Luminous Efficacy	100lm/w
Beam Angle	130°
Color Temperature	6500K
Material	PC
Lamp Colour	White + Transparent
UGR	Ra80
Input Voltage	100-265V
Warranty(Year)	2-Year

APPLICATION



Modelling combination 2 - 604W


DIMENSION



Parameter	
Model	897 4582
Size	4835x2430
Power	604W
Luminous Efficacy	100lm/w
Beam Angle	130°
Color Temperature	6500K
Material	PC
Lamp Colour	White + Transparent
UGR	Ra80
Input Voltage	100-265V
Warranty(Year)	2-Year


Modelling combination 3 - 548W

APPLICATION



Modelling combination 3 - 548W


DIMENSION



Parameter	
Model	897 4583
Size	4835x2430
Power	548W
Luminous Efficacy	100lm/w
Beam Angle	130°
Color Temperature	6500K
Material	PC
Lamp Colour	White + Transparent
UGR	Ra80
Input Voltage	100-265V
Warranty(Year)	2-Year


Modelling combination 4 - 555W

APPLICATION



Modelling combination 4 - 555W

DIMENSION




Parameter	
Model	897 4584
Size	4835x2430
Power	555W
Luminous Efficacy	100lm/w
Beam Angle	130°
Color Temperature	6500K
Material	PC
Lamp Colour	White + Transparent
UGR	Ra80
Input Voltage	100-265V
Warranty(Year)	2-Year

APPLICATION





Modelling combination 5 - 408W

DIMENSION



Parameter	
Model	897 4585
Size	4835x2430
Power	408W
Luminous Efficacy	100lm/w
Beam Angle	130°
Color Temperature	6500K
Material	PC
Lamp Colour	White + Transparent
UGR	Ra80
Input Voltage	100-265V
Warranty(Year)	2-Year

Can be combined to create the look you want



Wire Connectors, The fixing of female and male head brings with stable self-locking mechanism, separating and combining smoothly.

Housing Material, Double-deck aluminum, is better for the heat dissipation of the led light, and the finishing color is easily matching with different decoration of the workshop of the car washing salon.

PC




Aluminum



Accessories


I-type corner connecto

Code: 6015503P03




L-type corner connector

Code: 6015504P03




120°-type corner connector

Code: 6015505P03





Y-type corner connector

Code: 6015506P03



T-type corner connector

Code: 6015507P03



Link effect diagram

Guangdong Wanju Lighting Technology Co.,Ltd.

No.59 Lechuang Road, LianFeng Community Xiaolan Town,
Zhongshan City

TEL:+86-760-22559792 FAX:+86-760-22559429

www.vacelight.com